

Series MEC

(Mechanical Interlock One Ear Clamps)



- Stainless steel 304.
- Light weight.
- Dimple design for clamping force increased.
- Quick and easy for installation.
- Radius band edge: Clamping protection.



Part Number	Size Range	Ear Width	Clamping Force	Part Number	Size Range	Ear Width	Clamping Force
Band Width: 7mm, Band Thickness: 0.6mm				Band Width: 7mm, Band Thickness: 0.6mm			
MEC 105	8.9 - 10.5	5	1200N	MEC 170	14.5 - 17.0	6	1200N
MEC 109	9.2 - 10.9	5	1200N	MEC 175	15.0 - 17.5	6	2000N
MEC 113	9.6 - 11.3	5	1200N	MEC 178	14.6 - 17.8	6	2000N
MEC 118	10.1 - 11.8	5	1200N	MEC 180	14.8 - 18.0	6	2000N
MEC 119	9.4 - 11.9	5	1200N	MEC 185	15.3 - 18.5	9	2000N
MEC 123	9.8 - 12.3	6	1200N	MEC 192	16.0 - 19.2	9	2000N
MEC 128	10.3 - 12.8	6	1200N	MEC 198	17.0 - 19.8	9	2000N
MEC 133	10.8 - 13.3	6	1200N	MEC 210	17.8 - 21.0	9	2000N
MEC 138	11.3 - 13.8	6.5	1200N	MEC 226	19.8 - 22.6	9	2000N
MEC 140	11.5 - 14.0	6.5	1200N	MEC 235	20.3 - 23.5	9	2000N
MEC 142	11.7 - 14.2	6.5	1200N	MEC 241	20.9 - 24.1	9	2000N
MEC 145	12.0 - 14.5	6.5	1200N	MEC 256	22.4 - 25.6	9	2000N
MEC148	12.3 - 14.8	6	1200N	MEC 271	23.9 - 27.1	10	2000N
MEC 153	12.8 - 15.3	6	1200N	MEC 286	25.4 - 28.6	10	2000N
MEC 157	13.2 - 15.7	7	1200N	MEC 301	26.9 - 30.1	10	2000N
MEC 160	13.5 - 16.0	7	1200N	MEC 308	27.6 - 30.8	10	2000N
MEC 162	13.7 - 16.2	7	1200N	MEC 316	28.4 - 31.6	10	2000N
MEC 166	14.1 - 16.6	7	1200N	MEC 331	29.9 - 33.1	10	2000N
MEC 168	14.3 - 16.8	7	1200N	MEC 346	31.4 - 34.6	10	2000N

Part Number	Size Range	Ear Width	Clamping Force	Part Number	Size Range	Ear Width	Clamping Force
Band Width: 7mm, Band Thickness: 0.6mm				Band Width: 7mm, Band Thickness: 0.6mm			
MEC 361	32.9 - 36.1	10	2000N	MEC 770	73.8 - 77.0	10	2000N
MEC 376	34.4 - 37.6	10	2000N	MEC 785	75.3 - 78.5	10	2000N
MEC 381	34.9 - 38.1	10	2000N	MEC 800	76.8 - 80.0	10	2000N
MEC 396	36.4 - 39.6	10	2000N	MEC 815	78.3 - 81.5	10	2000N
MEC 410	37.8 - 41.0	10	2000N	MEC 830	79.8 - 83.0	10	2000N
MEC 425	39.3 - 42.5	10	2000N	MEC 845	81.3 - 84.5	10	2000N
MEC 440	40.8 - 44.0	10	2000N	MEC 860	82.8 - 86.0	10	2000N
MEC 455	42.3 - 45.5	10	2000N	MEC 875	84.3-87.5	10	2000N
MEC 470	43.8 - 47.0	10	2000N	MEC 890	85.8-89.0	10	2000N
MEC 485	45.3 - 48.5	10	2000N	MEC 905	87.3-90.5	10	2000N
MEC 500	46.8 - 50.0	10	2000N	MEC 920	88.8-92.0	10	2000N
MEC 515	48.3 - 51.5	10	2000N	MEC 935	90.3-93.5	10	2000N
MEC 530	49.8 - 53.0	10	2000N	MEC 950	91.8-95.0	10	2000N
MEC 545	51.3 - 54.5	10	2000N	MEC 965	93.3-96.5	10	2000N
MEC 560	52.8 - 56.0	10	2000N	MEC 980	94.8-98.0	10	2000N
MEC 575	54.3 - 57.5	10	2000N	MEC 995	96.3-99.5	10	2000N
MEC 590	55.8 - 59.0	10	2000N	MEC 1010	97.8-101.0	10	2000N
MEC 605	57.3 - 60.5	10	2000N	MEC 1025	99.3-102.5	10	2000N
MEC 620	58.8 - 62.0	10	2000N	MEC 1040	100.8-104.0	10	2000N
MEC 635	60.3 - 63.5	10	2000N	MEC 1055	102.3-105.5	10	2000N
MEC 650	61.8 - 65.0	10	2000N	MEC 1070	103.8-107	10	2000N
MEC 665	63.3 - 66.5	10	2000N	MEC 1085	105.3-108.5	10	2000N
MEC 680	64.8 - 68.0	10	2000N	MEC 1100	106.8-110.0	10	2000N
MEC 695	66.3 - 69.5	10	2000N	MEC 1115	108.3-111.5	10	2000N
MEC 710	67.8 - 71.0	10	2000N	MEC 1130	109.8-113.0	10	2000N
MEC 725	69.3 - 72.5	10	2000N	MEC 1145	111.3-114.5	10	2000N
MEC 740	70.8 - 74.0	10	2000N	MEC 1160	112.8-116.0	10	2000N
MEC 755	72.3 - 75.5	10	2000N				

